

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Scout Ticket

	<u>Top</u>	<u>Bottom</u>
Tar Springs	2320	2340
Glen Dean	2390	
Golconda	2460	
Barlow	2540	2554
Cypress Upper	2566	2590
Cypress Lower	2610	
Paint Creek	2712	2718
Benoist	2726	2760
Renault Upper	2776	
Aux Vases, very slight show of oil	2800	2820
Ste Genevieve	2848	
Rosiclare, good show of oil and gas from 2860' - 2870'	2860	
McClosky, porosity and slight show of oil from 2914' - 2920'	2914	
Total Depth:		2920

Date Drilling Began: 11/29/1986

Casing 8 5/8" - 202' , cemented with 150 sacks
 4 1/2" - 2920' , cemented with 200 sacks

Perforated: 2860' - 2864', 16 shots, squeezed off with 75 sacks cement; re-perf'ed 16 shots

Acidized: 2860' - 2864', 500 gallons HCl acid; re-acidized with 250 gallons MCA

Fractured: 2860' - 2864', 3,000 gallons salt water with 7,500 lbs. sand

I.P. 9 bbls. of oil, no water per day, pumping from the Spar Mountain (2860'-2864')

Permit Date: 11/24/1986 **Permit #:** 39402 **Reference #:** 201170

COMPANY Petrex Resources, Inc.

FARM Poehler, D. R.

NO. 1

DATE DRILLED May 21, 1987

COUNTY NO. 27862

AUTHORITY Company

ELEVATION 525' GL - Permit

LOCATION 330'S line, 330'E line of SW SW

COUNTY Clay

API# 1202527862 00

1-5N-7E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

Depth Control filed.

Induction Electric Log filed.

Micro Caliper Log filed.

Density Borehole Compensated Log filed.

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Cased Hole Log
GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Micro Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 11/24/1986 **Permit #:** 39402 **Reference #:** 201170

COMPANY	Petrex Resources, Inc.	
FARM	Poehler, D. R.	NO. 1
DATE DRILLED	May 21, 1987	COUNTY NO. 27862
AUTHORITY	Company	
ELEVATION	525' GL - Permit	
LOCATION	330'S line, 330'E line of SW SW	
COUNTY	Clay	API# 1202527862 00 1-5N-7E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

WATER INJECTION CONVERSION

Total Depth: 2920

Casing 8 5/8" - 202' , cemented with 150 sacks
 4 1/2" - 2920' , cemented with 200 sacks
 Tubing 2 3/8" - 2830' , set with Baker packer

Perforated: 2860' - 2864' , existing perforations

Acidized: 2860' - 2864' , 500 gallons MCA

Fractured: 2860' - 2864' , 10,000 lbs. sand

Completed as a water input well, injecting into the Spar Mountain (2860'-2864').

Imaged Log viewing help: New users please read this.

GET FILE

Scanned Documents

Permit Date: 1/14/1993	Permit #: 200998	Reference #: 201170
COMPANY	Petrex Resources, Inc.	
FARM	Poehler, D. R.	NO. 1-WI
DATE DRILLED	June 14, 1993	COUNTY NO. 27862
AUTHORITY	Company	
ELEVATION	525' GL - Permit	
LOCATION	330'S line, 330'E line of SW SW	
COUNTY	Clay	API# 1202527862 01 1-5N-7E

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	3/4/2024	Permit #:	67085	Reference #:	201170
COMPANY	Haas, Daniel J.				
FARM	Poehler			NO. 1	
DATE DRILLED				COUNTY NO. 27862	
AUTHORITY					
ELEVATION	525' GL - Permit				
LOCATION	330'S line, 330'E line of SW SW				
COUNTY	Clay	API#	1202527862 02		1-5N-7E