

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Company

	<u>Top</u>	<u>Bottom</u>
Tar Springs	2326	2426
Rosiclare	2969	2975
McClosky	2985	2989

Total Depth: 3050

Plugged Back Total Depth: 3048

Date Drilling Began: 11/13/2004

Casing 4 1/2" - 3050' , cemented with 200 sacks
 8 5/8" - 272' , cemented with 175 sacks

Perforated: 2326' - 2328', shots not reported

2968' - 2971', shots not reported

2984' - 2987', shots not reported

Acidized: 2326' - 2328', 500 gallons MCA

2968' - 2971', 500 gallons MCA

2984' - 2987', 500 gallons MCA

I.P. 11 bbls. of oil, 7 bbls. of water per day, pumping from the McClosky (2984'-2987'), Spar Mountain (2968'-2971'), Tar Springs (2326'-2328')

Compensated Density Neutron Gamma Ray Caliper Log filed.

Dual Induction Gamma Ray SP Log filed.

Imaged Log viewing help: New users please read this.

GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 10/29/2004 **Permit #:** 56822 **Reference #:** 209293

COMPANY Oestreich, Greg

FARM Gill, H.

NO. 1

DATE DRILLED February 24, 2005

COUNTY NO. 28825

AUTHORITY Company

ELEVATION 432' GL - Permit

LOCATION 330'N line, 330'W line of NW SE

COUNTY Clay

API# 1202528825 00

36-4N-7E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

SALT WATER DISPOSAL CONVERSION

Total Depth: 3050

Plugged Back Total Depth: 2788

Date Drilling Began: 11/14/2004

Casing 8 5/8" - 272' , cemented with 175 sacks

4 1/2" - 3050' , cemented with 200 sacks

Tubing 2 3/8" - 2675' , set Baker AD-1 packer

Perforated: 2726' - 2736' , shots not reported

Completed as a salt water disposal well, injecting 250 bbls. of water per day at 275 psi into the Cypress (2726'-2736').

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	9/19/2007	Permit #:	202979	Reference #:	209293
---------------------	-----------	------------------	--------	---------------------	--------

COMPANY	Kirby, John
----------------	-------------

FARM	Gill
-------------	------

NO. 1-SWD

DATE DRILLED	April 14, 2008
---------------------	----------------

COUNTY NO. 28825

AUTHORITY	Company
------------------	---------

ELEVATION	432' GL - Permit
------------------	------------------

LOCATION	330'N line, 330'W line of NW SE
-----------------	---------------------------------

COUNTY	Clay
---------------	------

API# 1202528825 01

36-4N-7E

Permit Date:	10/29/2018	Permit #:	204651	Reference #:	209293
COMPANY	Fuehne Oil, Inc.				
FARM	Gill			NO.	1-WI
DATE DRILLED				COUNTY NO.	28825
AUTHORITY					
ELEVATION	432' GL - Permit				
LOCATION	330'N line, 330'W line of NW SE				
COUNTY	Clay	API#	1202528825 02		36-4N-7E