

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Company

	<u>Top</u>	<u>Bottom</u>
Pennsylvanian, sandstone	520	596
Paint Creek Lower, limestone	704	711
Benoist, sandstone	711	728
Renault Upper, limestone	735	739
Aux Vases, sandstone	752	769
Ste Genevieve, limestone	769	
St Louis, limestone	859	
Salem, limestone	1055	
Carper, sandstone, show of oil	1718	1774
Carper Lower, sandstone	1780	1804
Total Depth:		1810

Date Drilling Began: 9/14/1969

Casing 8 5/8" - 58' , cemented with 25 sacks
4 1/2" - 1810'

Perforated: 1727' - 1772', 110 shots

Acidized: 1727' - 1772', 1,000 gallons MCA

Fractured: 1727' - 1772', 30,000 gallons water with 30,000 lbs. sand

Completed as a gas well, producing 2800 MCF per day from the Carper (1727'-1772')

Drilling Time Log filed.

Gamma Collar Perforating Record filed.

Gas Flow Measurement filed.

Electric Log filed.

Composite Log filed.

Driller's Log filed.

Company Sample Study filed.

Permit Date: 8/11/1969 **Permit #:** 745 **Reference #:** 124062

COMPANY Edwards Oil Co. Inc.

FARM Geffs

NO. E-4

DATE DRILLED February 10, 1970

COUNTY NO. 09260

AUTHORITY Company

ELEVATION 519' KB - Electric Log

LOCATION 330'N line, 330'W line of NE NE

COUNTY Crawford

API# 1203309260 00

Irr. 2-8N-14W

ILLINOIS STATE GEOLOGICAL SURVEY

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Cased Hole Log
GET FILE	Induction Electric Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 8/11/1969 **Permit #:** 745 **Reference #:** 124062

COMPANY	Edwards Oil Co. Inc.	
FARM	Geffs	NO. E-4
DATE DRILLED	February 10, 1970	COUNTY NO. 09260
AUTHORITY	Company	
ELEVATION	519' KB - Electric Log	
LOCATION	330'N line, 330'W line of NE NE	
COUNTY	Crawford	API# 1203309260 00 Irr. 2-8N-14W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

WATER INJECTION CONVERSION

Total Depth: 1810

Date Drilling Began: 6/13/2011

Casing 8 5/8" - 58' , cemented with 25 sacks
4 1/2" - 1804'

Tubing 2 3/8" - 1553' , set with Baker AD-1 packer

Perforated: 1727' - 1772' , shots not reported

Acidized: 1727' - 1772' , 1,000 gallons 15% MCA

Completed as a water input well, injecting into the Carper (1727'-1772') .

Gamma Ray CCL Cement Bond w/ VDL filed.

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	7/12/2011	Permit #:	203603	Reference #:	124062
COMPANY	Fain Oil, Inc.				
FARM	Geffs 3-WI			NO. 4	
DATE DRILLED	August 1, 2011			COUNTY NO. 09260	
AUTHORITY	Company				
ELEVATION	519' KB - Electric Log				
LOCATION	330'N line, 330'W line of NE NE				
COUNTY	Crawford	API#	1203309260 01	Irr. 2-8N-14W	

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Scanned Documents

Permit Date:	6/30/2025	Permit #:	67454	Reference #:	124062
COMPANY	Fain Oil, Inc.				
FARM	Geffs			NO.	E-4
DATE DRILLED				COUNTY NO.	09260
AUTHORITY					
ELEVATION	519' KB - Electric Log				
LOCATION	330'N line, 330'W line of NE NE				
COUNTY	Crawford	API#	1203309260 02	Irr.	2-8N-14W