

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Company

	<u>Top</u>	<u>Bottom</u>
Kinkaid	1763	
Palestine, show of oil from 1915' - 1929'; slight show of oil from 1932' - 1941' and 1944' - 1989'	1915	
Menard Upper	2000	
Menard Middle	2043	
Menard Lower	2092	
Vienna	2150	
Tar Springs Upper, slight show of oil from 2187' - 2208'	2187	
Tar Springs Lower, show of oil from 2218' - 2236'	2218	
Glen Dean Upper	2247	
Glen Dean Middle	2292	
Golconda	2363	
Barlow	2497	2503
Cypress Lower	2551	2596
Paint Creek	2619	
Benoist	2662	2720
Renault Upper	2720	
Renault Lower	2772	2788
Aux Vases	2800	
Ste Genevieve	2810	
Ohara	2827	2833
Rosiclare, slight show of oil	2847	2851
Fredonia	2888	
McClosky, slight show of oil from 2950' - 2957'	2895	

Total Depth: 2977

Plugged Back Total Depth: 2204

Date Drilling Began: 9/30/1947

Casing 10 3/4" - 159' , cemented with 150 sacks
7" - 2187' , cemented with 200 sacks

Permit Date: 9/26/1947 **Permit #:** 1656 **Reference #:** 12567

COMPANY Kingwood Oil Co.

FARM Schiff, B.

NO. 1

DATE DRILLED October 18, 1947

COUNTY NO. 01562

AUTHORITY Company

ELEVATION 376' GL - Permit

LOCATION 330'N line, 330'E line of SE NE

COUNTY Gallatin

API# 1205901562 00

21-8S-9E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

Cores #1, 1919.00' - 1924.00', Cut: 5.00', Recovered: 5.00'	
0' - 2.5'	sand, medium to hard, crystalline, fine grained, tight, saturated.
2.5' - 3.5'	sand, very hard, tight crystalline, fine grained, tight saturation.
3.5' - 4.3'	sand very hard, tight crystalline fine grained, no show of oil.
4.3' - 4.5'	sand, very hard, tight crystalline fine grained, saturated.
#2, 1926.00' - 1941.00', Cut: 15.00', Recovered: 14.00'	
0' - .5'	sand, hard tight fine crystalline, saturated.
0.5' - 5'	shale.
5' - 12.5'	sand, medium to hard, tight, crystalline medium to fine, bleeding saturation.
12.5' - 13.5'	shale.
#3, 2191.00' - 2201.00', Cut: 10.00', Recovered: 4.00'	
0' - 4'	sand, medium to hard tight slightly shaley and quartzitic, light saturation, good odor and taste.
#4, 2221.00' - 2235.00', Cut: 14.00', Recovered: 5.00'	
0' - 3'	sand medium to hard, tight, quartzitic, fair saturation.
3' - 5'	sand, medium to hard, tight, quartzitic gray, tight show of oil.
DST #1	(Palestine) 1916' - 1924'. Tool open 120 minutes. Recovered 420' gas, 180' oil, 60' slightly mud cut oil. BHP 550#.
DST #2	(Palestine) 1924' - 1941'. Tool open 120 minutes. Recovered 240' oil, 30' mud cut oil and gas. BHP 600#.
DST #3	(Tar Springs Upper) 2189' - 2201'. Tool open 120 minutes. Recovered 1070' gas, 90' oil cut mud. BHP 900#.
DST #4	(Tar Springs Lower) 2218' - 2235'. Tool open 120 minutes. Recovered 330' gas, 30' oil cut mud, 60' salty mud, slightly oil cut mud, 240' salt water. BHP 725#.
DST #5	(Ohara) 2815' - 2920'. Tool open 60 minutes. Recovered 60' drilling mud, scum of oil, 30' slightly oil and gas cut mud.
Shot:	1923' - 1938', 45 quarts
	2194' - 2204', 4 quarts, re-shot with 30 quarts

Permit Date:	9/26/1947	Permit #:	1656	Reference #:	12567
COMPANY	Kingwood Oil Co.				
FARM	Schiff, B.			NO. 1	
DATE DRILLED	October 18, 1947			COUNTY NO.	01562
AUTHORITY	Company				
ELEVATION	376' GL - Permit				
LOCATION	330'N line, 330'E line of SE NE				
COUNTY	Gallatin	API#	1205901562 00		21-8S-9E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

I.P. 32 bbls. of oil, 17 bbls. of water per day, from the Palestine (1923'-1938'), Tar Springs (2194'-2204')

Electric Log filed.

Drilling Time Log filed.

Driller's Log filed.

Core Time filed.

Company Sample Study filed.

Core Study filed.

Core Analysis Report filed.

Sample set # 17613 300' - 2975' Received: 1/1/1947

[Get Core Analysis for this well](#)

[Get Geologic Description for this well.](#)

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Induction Electric Log

[GET FILE](#)

Scanned Documents

[GET FILE](#)

Scanned Drilling Time Log

[GET FILE](#)

Handwritten Scout Ticket

Permit Date: 9/26/1947

Permit #: 1656

Reference #: 12567

COMPANY Kingwood Oil Co.

FARM Schiff, B.

NO. 1

DATE DRILLED October 18, 1947

COUNTY NO. 01562

AUTHORITY Company

ELEVATION 376' GL - Permit

LOCATION 330'N line, 330'E line of SE NE

COUNTY Gallatin

API# 1205901562 00

21-8S-9E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 4

SALT WATER DISPOSAL CONVERSION

Total Depth: 2977

Date Drilling Began: 8/5/1974

Casing 10 3/4" - 159' , cemented with 150 sacks
 7" - 2187' , cemented with 200 sacks

Perforated: 1921' - 1936', shots not reported

Completed as a salt water disposal well, injecting into the Palestine (1921'-1936').

Gamma Ray Casing Collar Log filed.

Imaged Log viewing help: [New users please read this.](#)

GET FILE

Cased Hole Log

GET FILE

Scanned Documents

Permit Date: 8/27/1973	Permit #: 691	Reference #: 12567
-------------------------------	----------------------	---------------------------

COMPANY	Clark, T. L.		
FARM	Schiff	NO. 1	
DATE DRILLED	August 9, 1974	COUNTY NO.	01562
AUTHORITY	Company		
ELEVATION	376' GL - Permit		
LOCATION	330'N line, 330'E line of SE NE		
COUNTY	Gallatin	API#	1205901562 01 21-8S-9E

Imaged Log viewing help: [New users please read this.](#)

[GET FILE](#)

Scanned Documents

**THIS PERMIT WAS NOT
DRILLED/CONVERTED**

Permit Date: 5/16/2018 **Permit #:** 204624 **Reference #:** 12567

COMPANY Hudson, Larry A.

FARM Schiff

NO. 1-WIW

DATE DRILLED

COUNTY NO. 01562

AUTHORITY

ELEVATION 376' GL - Permit

LOCATION 330'N line, 330'E line of SE NE

COUNTY Gallatin

API# 1205901562 02

21-8S-9E

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	3/25/2020	Permit #:	204747	Reference #:	12567
COMPANY	Hudson, Larry A.				
FARM	Schiff			NO.	1-WIW
DATE DRILLED				COUNTY NO.	01562
AUTHORITY					
ELEVATION	376' GL - Permit				
LOCATION	330'N line, 330'E line of SE NE				
COUNTY	Gallatin	API#	1205901562 03		21-8S-9E