

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Scout Ticket and B. G. Huff

	<u>Top</u>	<u>Bottom</u>
Kinkaid	1684	1708
Clore	1780	1794
Palestine	1860	1903
Menard	1917	1981
Waltersburg	2007	2043
Vienna	2059	2064
Tar Springs	2094	2168
Glen Dean	2186	2218
Hardinsburg	2226	2264
Golconda	2302	
Barlow	2418	
Cypress	2472	
Bethel	2572	
Renault Upper	2634	
Renault Lower	2694	
Aux Vases	2718	2726
Ste Genevieve	2732	
Total Depth:		2877

Date Drilling Began: 11/15/1982

Casing 8 5/8" - 131' , cemented with 200 sacks
 4 1/2" - 2875' , cemented with 125 sacks

Perforated: 2718' - 2726' , shots not reported

Fractured: 2718' - 2726' , 150 bbls. water with 5,000 lbs. sand

I.P. 28 bbls. of oil, 5 bbls. of water per day, from the Aux Vases (2718'-2726')

Induction Electric Log filed.

Compensated Density Log filed.

Permit Date: 11/3/1982 **Permit #:** 21585 **Reference #:** 108525

COMPANY	Interstate Exploration Fund, Inc.	
FARM	Leach	NO. 5
DATE DRILLED	March 1, 1983	COUNTY NO. 24288
AUTHORITY	Company	
ELEVATION	339' GL - Permit	
LOCATION	330'N line, 330'E line of NW NW	
COUNTY	Gallatin	API# 1205924288 00 16-8S-10E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Cased Hole Log
GET FILE	Induction Electric Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket
GET FILE	Handwritten Scout Ticket

Permit Date: 11/3/1982 **Permit #:** 21585 **Reference #:** 108525

COMPANY	Interstate Exploration Fund, Inc.	
FARM	Leach	NO. 5
DATE DRILLED	March 1, 1983	COUNTY NO. 24288
AUTHORITY	Company	
ELEVATION	339' GL - Permit	
LOCATION	330'N line, 330'E line of NW NW	
COUNTY	Gallatin	API# 1205924288 00 16-8S-10E

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Scanned Documents

Permit Date:	6/17/2020	Permit #:	204754	Reference #:	108525
COMPANY	Smiley Oil, LLC				
FARM	Leach			NO. 5	
DATE DRILLED				COUNTY NO. 24288	
AUTHORITY					
ELEVATION	339' GL - Permit				
LOCATION	330'N line, 330'E line of NW NW				
COUNTY	Gallatin	API#	1205924288 01	16-8S-10E	