

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Scout Ticket

	<u>Top</u>	<u>Bottom</u>
Barlow	2898	2903
Cypress, show of oil from 2936' - 2948'; slight show of oil from 2948' - 2977'; no show from 3012' - 3094'	2936	
Benoist, no show of oil	3134	3162
Renault Upper	3166	3176
Renault Lower	3230	3240
Aux Vases, no show of oil	3264	3276
Ste Genevieve	3303	
Ohara, porosity, show of oil	3328	3330
McClosky, porosity; show of oil from 3392' - 3397'	3392	
St Louis	3438	
Salem	3826	
Salem Upper, porosity, slight show of oil	3868	3872
Salem Lower, porosity, show of oil	4158	4183
Warsaw, porosity, show of oil from 4203' - 4208' and 4215' - 4218'	4185	

Total Depth: 4230

Plugged Back Total Depth: 3404

Date Drilling Began: 3/1/1977

Casing 8 5/8" - 85' , cemented with 100 sacks
5 1/2" - 3451' , cemented with 175 sacks

Permit Date: 12/27/1976 **Permit #:** 3563 **Reference #:** 6273

COMPANY	Juniper Petroleum Corp.	
FARM	Clark - Meneghin	NO. 48-34
DATE DRILLED	March 18, 1977	COUNTY NO. 23904
AUTHORITY	Company	
ELEVATION	519' KB - Company	
LOCATION	330'S line, 330'E line of SW	
COUNTY	Hamilton	API# 1206523904 00 34-5S-5E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

Cores	#1, 3315.00' - 3342.00', Cut: 27.00', Recovered: 27.00'
	0' - 27' lime, oil saturation at 3329' - 3374' and 3332' - 3335'.
	#2, 3380.00' - 3410.00', Cut: 30.00', Recovered: 30.00'
	0' - 30' lime, oil saturation at 3393.5' - 3398.5'.
	#3, 4160.00' - 4220.00', Cut: 60.00', Recovered: 60.00'
	0' - 60' oil saturation at 4160' - 4185', 4202' - 4210', 4213' - 4219'.

DST #1 (Salem Upper) 3860' - 3885'. Tool open 135 minutes. closed 45 minutes. Recovered 240' gas, 10' oil cut mud. ISIP 118.00#. FSIP 143.00#.

DST #2 (Salem Lower) 4145' - 4195'. Tool open 135 minutes. closed 45 minutes. Recovered 1260' gas, 40' slightly oil cut mud, 60' heavy oil cut mud. ISIP 1006.00#. FSIP 1592.00#. Double wall packer.

DST #3 (Warsaw) 4240' - 4264'. Tool open 135 minutes. closed 45 minutes. Recovered 30' slightly oil cut mud, 120' heavy oil cut mud, 120' heavy mud cut oil, 420' salt water. ISIP 1370.00#. FSIP 1149.00#.

Perforated: 2940' - 2946',	13 shots
2963' - 2967',	shots not reported, squeezed off with 100 sacks cement
3394' - 3397',	11 shots
Acidized: 2940' - 2946',	250 gallons 28% acid and 1,000 gallons 28% acid

Dry and abandoned

Minilog filed.

Dual Induction Focused Log filed.

Compensated Density Log filed.

Drilling Time Log filed.

Permit Date: 12/27/1976	Permit #: 3563	Reference #: 6273
--------------------------------	-----------------------	--------------------------

COMPANY	Juniper Petroleum Corp.	
FARM	Clark - Meneghin	NO. 48-34
DATE DRILLED	March 18, 1977	COUNTY NO. 23904
AUTHORITY	Company	
ELEVATION	519' KB - Company	
LOCATION	330'S line, 330'E line of SW	
COUNTY	Hamilton	API# 1206523904 00 34-5S-5E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Micro Log
GET FILE	Scanned Drilling Time Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket
GET FILE	Handwritten Scout Ticket

Permit Date: 12/27/1976 **Permit #:** 3563 **Reference #:** 6273

COMPANY	Juniper Petroleum Corp.	
FARM	Clark - Meneghin	NO. 48-34
DATE DRILLED	March 18, 1977	COUNTY NO. 23904
AUTHORITY	Company	
ELEVATION	519' KB - Company	
LOCATION	330'S line, 330'E line of SW	
COUNTY	Hamilton	API# 1206523904 00 34-5S-5E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 4

SALT WATER DISPOSAL CONVERSION

Total Depth: 4230

Plugged Back Total Depth: 3404

Casing 8 5/8" - 85' , cemented with 100 sacks

5 1/2" - 3451' , cemented with 175 sacks

Tubing 2" - 2916' , set with Baker Model AD packer

Completed as a salt water disposal well, injecting 150 bbls. of water per day into the Cypress (2940'-2946'), McClosky (3394'-3397') .

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	5/24/1977	Permit #:	4114	Reference #:	6273
---------------------	-----------	------------------	------	---------------------	------

COMPANY	Juniper Petroleum Corp.
----------------	-------------------------

FARM	Clark - Meneghin
-------------	------------------

NO.	48-34
SWD	

DATE DRILLED	May 26, 1977
---------------------	--------------

COUNTY NO.	23904
-------------------	-------

AUTHORITY	Company
------------------	---------

ELEVATION	519' KB - Company
------------------	-------------------

LOCATION	330'S line, 330'E line of SW
-----------------	------------------------------

COUNTY	Hamilton
---------------	----------

API#	1206523904 01
-------------	---------------

34-5S-5E	
-----------------	--

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Scanned Documents

Permit Date:	6/29/2026	Permit #:	67641	Reference #:	6273
COMPANY	Webb, Patrick Oil L.L.C.				
FARM	Webb - Clark			NO. 3	
DATE DRILLED				COUNTY NO. 23904	
AUTHORITY					
ELEVATION	519' KB - Company				
LOCATION	330'S line, 330'E line of SW				
COUNTY	Hamilton	API#	1206523904 02	34-5S-5E	