

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

HORIZONTAL WELL

ELECTRIC LOG TOPS from Company

	<u>Top</u>	<u>Bottom</u>
Barlow	2030	2044
Ste Genevieve	2294	
Borden	3110	
Chouteau	3638	3645
New Albany	3672	
Devonian	3775	
Geneva	3832	
Total Depth:		3984

Date Drilling Began: 6/27/2002

Casing 10 3/4" - 220' , cemented with 220 sacks
 7" - 3981' , cemented with 355 sacks

Perforated: 3832' - 3836', shots not reported, acidized (not reported).
 3847' - 3851', shots not reported, acidized (not reported).

Temporarily abandoned

Minilog True Vertical Depth filed.

Minilog Gamma Ray filed.

Gamma Ray Neutron Log filed.

Drilling Time Log filed.

Dual Induction Focused Gamma Ray Log filed.

Directional Survey filed.

Dual Induction Focused True Vertical Depth filed.

Compensated Densilog Neutron True Vertical Depth filed.

Compensated Density Dual Neutron Gamma Ray filed.

Permit Date: 7/2/2002 **Permit #:** 55657 **Reference #:** 208336

COMPANY Ceja Corporation

FARM Miselbrook

NO. 3

DATE DRILLED February 20, 2003

COUNTY NO. 28005

AUTHORITY Company

ELEVATION 565' GL - Permit

LOCATION 425'S line, 179'E line of NW SW

COUNTY Marion

API# 1212128005 00

33-4N-4E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

Imaged Log viewing help: New users please read this.

GET FILE	Cased Hole Log
GET FILE	Density Log
GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Induction Electric Log
GET FILE	Micro Log
GET FILE	Micro Log
GET FILE	Density Log LAS File
GET FILE	Induction Electric Log LAS File
GET FILE	Micro Log LAS File
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 7/2/2002 **Permit #:** 55657 **Reference #:** 208336

COMPANY	Ceja Corporation	
FARM	Miselbrook	NO. 3
DATE DRILLED	February 20, 2003	COUNTY NO. 28005
AUTHORITY	Company	
ELEVATION	565' GL - Permit	
LOCATION	425'S line, 179'E line of NW SW	
COUNTY	Marion	API# 1212128005 00 33-4N-4E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

SALT WATER DISPOSAL CONVERSION

Total Depth: 3984

Date Drilling Began: 6/27/2002

Casing 10 3/4" - 220' , cemented with 220 sacks

7" - 3981' , cemented with 355 sacks

Tubing 2 7/8" - 3863' , set with D & L "X-1" packer.

Perforated: 3890' - 3896' , squeezed off old perf's and re-perf'ed; shots not reported

Completed as a salt water disposal well, injecting 130 bbls. of water per day at 0 psi into the Geneva (3890'-3896').

Imaged Log viewing help: New users please read this.

GET FILE

Scanned Documents

GET FILE

Scanned Drilling Time Log

Permit Date: 6/16/2003	Permit #: 202478	Reference #: 208336
-------------------------------	-------------------------	----------------------------

COMPANY Ceja Corporation

FARM Miselbrook

NO. 3

DATE DRILLED May 1, 2003

COUNTY NO. 28005

AUTHORITY Company

ELEVATION 565' GL - Permit

LOCATION 425'S line, 179'E line of NW SW

COUNTY Marion

API# 1212128005 01

33-4N-4E

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date: 1/29/2020 **Permit #:** 204730 **Reference #:** 208336

COMPANY Deep Rock Energy Corp.

FARM Miselbrook

NO. 3 DIR

DATE DRILLED

COUNTY NO. 28005

AUTHORITY

ELEVATION 565' GL - Permit

LOCATION 425'S line, 179'E line of NW SW

COUNTY Marion

API# 1212128005 02

33-4N-4E