

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

ELECTRIC LOG TOPS from Scout Ticket

	<u>Top</u>	<u>Bottom</u>
Vienna, base		2134
Tar Springs	2198	2254
Cypress	2540	2550
Cypress, show of oil	2561	2568
Ste Genevieve	2943	
Rosiclare, slight show of oil	2976	2981
McClosky	3038	3042
McClosky	3048	3054

Total Depth: 3070

Plugged Back Total Depth: 2619

Date Drilling Began: 2/7/1984

Casing 8 5/8" - 218'
 4 1/2" - 2619' , cemented with 250 sacks

Perforated: 2540' - 2545', 10 shots

Acidized: 2540' - 2545', 250 gallons 7.5% HCl

Fractured: 2540' - 2545', 4000 gallons water, 6000 lbs. sand

I.P. 37 bbls. of oil, 35 bbls. of water per day, pumping from the Cypress
 (2540'-2545')

Compensated Densilog Neutron Gamma Ray Minilog filed.

Acoustic Cement Bond VDL Gamma Ray Neutron Log filed.

Dual Induction Focused Log filed.

Permit Date: 2/6/1984 **Permit #:** 28843 **Reference #:** 140295

COMPANY Redhawk Exploration Corp.

FARM Phipps, A.

NO. 3

DATE DRILLED April 25, 1984

COUNTY NO. 25206

AUTHORITY Company

ELEVATION 404' GL -

LOCATION 330'S line, 330'W line of NW NE

COUNTY Saline

API# 1216525206 00

24-8S-7E

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Sonic Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 2/6/1984 **Permit #:** 28843 **Reference #:** 140295

COMPANY	Redhawk Exploration Corp.	
FARM	Phipps, A.	NO. 3
DATE DRILLED	April 25, 1984	COUNTY NO. 25206
AUTHORITY	Company	
ELEVATION	404' GL -	
LOCATION	330'S line, 330'W line of NW NE	
COUNTY	Saline	API# 1216525206 00 24-8S-7E

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date:	11/6/2013	Permit #:	204111	Reference #:	140295
COMPANY	Veritas PE, LLC				
FARM	Phipps			NO. 3	
DATE DRILLED				COUNTY NO. 25206	
AUTHORITY					
ELEVATION	404' GL -				
LOCATION	330'S line, 330'W line of NW NE				
COUNTY	Saline	API#	1216525206 01	24-8S-7E	