

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

WATERFLOOD PROJECT

ELECTRIC LOG TOPS from Scout Ticket

	<u>Top</u>	<u>Bottom</u>
Biehl	1490	1546
Glen Dean Lower	1789	1820
Golconda	1898	
Barlow	1984	1992
Cypress	2006	2022
Paint Creek Lower	2115	2126
Renault Upper	2209	
Renault Lower	2260	2270
Ste Genevieve	2295	
Ohara	2318	2326
McClosky	2442	2450
St Louis	2450	
Salem	2678	
Warsaw	3014	

Total Depth: 3158

Plugged Back Total Depth: 3127

Date Drilling Began: 10/20/1988

Casing 8 5/8" - 228' , cemented with 200 sacks
 5 1/2" - 3158' , cemented with 550 sacks

Permit Date: 10/11/1988 **Permit #:** 42492 **Reference #:** 136944

COMPANY	Texaco, Inc.	
FARM	Geiger - Steckler Unit Tr. 2	NO. 10
DATE DRILLED	November 1, 1988	COUNTY NO. 27710
AUTHORITY	Company	
ELEVATION	409' GL - Permit	
LOCATION	330'S line, 1700'E line of SE	
COUNTY	Wabash	API# 1218527710 00 Irr. 8-1S-12W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 2

Cores	#1,	2706.00' - 2734.00',	Cut: 28.00',	Recovered: 27.00'
		2707' - 2734.3'	limestone, slightly oolitic and fossiliferous.	
	#2,	2759.00' - 2789.00',	Cut: 30.00',	Recovered: 29.00'
		2759' - 2780'	limestone, gray, very dense.	
		2780' - 2786'	limestone, dolomitic, light brown.	
		2786' - 2788'	limestone, gray, very dense.	
	#3,	2858.00' - 2888.00',	Cut: 30.00',	Recovered: 30.00'
		2858' - 2883'	limestone, porous, crystalline, slightly oolitic and fossiliferous.	
		2883' - 2888'	limestone, dense, dark gray.	

Perforated: 2319' - 2322', shots not reported

2442' - 2448', shots not reported

2705' - 2730', shots not reported

2855' - 2878', shots not reported

3104' - 3114', shots not reported

Acidized: 2319' - 3114', 12,000 gallons 15% NEA

I.P. 78 bbls. of oil, 280 bbls. of water per day, and 53 MCF of gas per day, from the McClosky (2442'-2448'), Ohara (2319'-2322'), Salem (2705'-2878'), Ullin (3104'-3114')

Micro Log filed.

Dual Induction Gamma Ray Log filed.

Core Analysis Report filed.

Compensated Neutron Formation Density Log filed.

Core # 14196 2707' - 2887.5' Received: 9/5/1989

Permit Date: 10/11/1988 **Permit #:** 42492 **Reference #:** 136944

COMPANY	Texaco, Inc.	
FARM	Geiger - Steckler Unit Tr. 2	NO. 10
DATE DRILLED	November 1, 1988	COUNTY NO. 27710
AUTHORITY	Company	
ELEVATION	409' GL - Permit	
LOCATION	330'S line, 1700'E line of SE	
COUNTY	Wabash	API# 1218527710 00 Irr. 8-1S-12W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

[Imaged Log viewing help: New users please read this.](#)

GET FILE	Density Log
GET FILE	Induction Electric Log
GET FILE	Micro Log
GET FILE	Scanned Documents
GET FILE	Scout Check Ticket

Permit Date: 10/11/1988 **Permit #:** 42492 **Reference #:** 136944

COMPANY	Texaco, Inc.	
FARM	Geiger - Steckler Unit Tr. 2	NO. 10
DATE DRILLED	November 1, 1988	COUNTY NO. 27710
AUTHORITY	Company	
ELEVATION	409' GL - Permit	
LOCATION	330'S line, 1700'E line of SE	
COUNTY	Wabash	API# 1218527710 00 Irr. 8-1S-12W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 4

WATER INJECTION CONVERSION

Total Depth: 3158

Plugged Back Total Depth: 3090

Casing 8 5/8" - 228' , cemented with 200 sacks

5 1/2" - 3158' , cemented with 550 sacks

Tubing 2 7/8" - 2629' , set with Fullbore packer

1 1/2" - 2636' , set with Baker packer

Perforated: 2705' - 2730' , existing perforations

2855' - 2878' , existing perforations

Fractured: 2705' - 2878' , 12,500 gallons gelled salt water with 6,250 gallons acid

Completed as a water input well, injecting 250 bbls. of water per day at 0 psi into the Salem (2705'-2878').

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Scanned Documents

Permit Date: 2/25/1998 **Permit #:** 201824 **Reference #:** 136944

COMPANY Farrar Oil Co., Inc.

FARM Geiger - Steckler Unit Tr. 2

NO. 10

DATE DRILLED July 16, 1998

COUNTY NO. 27710

AUTHORITY Company

ELEVATION 409' GL - Permit

LOCATION 330'S line, 1700'E line of SE

COUNTY Wabash

API# 1218527710 01

Irr. 8-1S-12W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 5

OIL PRODUCER CONVERSION

Total Depth: 3158

Plugged Back Total Depth: 2530

Casing 8 5/8" - 228' , cemented with 200 sacks
 5 1/2" - 3158' , cemented with 550 sacks

Perforated: 2319' - 2322' , existing perforations
 2442' - 2448' , existing perforations

I.P. 1 bbls. of oil, 88 bbls. of water per day, from the McClosky (2442'-2448'),
 Ohara (2319'-2322')

Cement Bond Variable Density Log filed.

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Cased Hole Log

[GET FILE](#)

Scanned Documents

Permit Date: 1/17/2012	Permit #: 61747	Reference #: 136944
COMPANY	Potts, Michael A. & Justin A.	
FARM	Geiger - Steckler Unit Tr. 2	NO. 10
DATE DRILLED	January 11, 2013	COUNTY NO. 27710
AUTHORITY	Company	
ELEVATION	409' GL - Permit	
LOCATION	330'S line, 1700'E line of SE	
COUNTY	Wabash	API# 1218527710 02 8-1S-12W

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Scanned Documents

Permit Date:	3/27/2024	Permit #:	204885	Reference #:	136944
---------------------	-----------	------------------	--------	---------------------	--------

COMPANY	Bully Oil, Inc.
----------------	-----------------

FARM	Geiger - Steckler Unit Tract 2	NO.	10
-------------	--------------------------------	------------	----

DATE DRILLED		COUNTY NO.	27710
---------------------	--	-------------------	-------

AUTHORITY	
------------------	--

ELEVATION	409' GL - Permit
------------------	------------------

LOCATION	330'S line, 1700'E line of SE
-----------------	-------------------------------

COUNTY	Wabash	API#	1218527710 03	8-1S-12W
---------------	--------	-------------	---------------	-----------------