

ILLINOIS STATE GEOLOGICAL SURVEY

Page 1

	<u>Top</u>	<u>Bottom</u>
Glen Dean Upper	2346	2366
Barlow	2549	2556
Cypress	2592	
Aux Vases	2847	
Total Depth:		2879

Date Drilling Began: 10/15/1941

Casing 10 3/4 - 140' , cemented with 100 sacks

7 - 2835' , cemented with 400 sacks

Tubing 2 1/2 - 2833' , perf nipple for 2828'-2824'

Perforated: 2592' - 2600' , 48 shots

2648' - 2658' , 60 shots

Shot: 2848' - 2879' , 140 quarts

I.P. 129 bbls. of oil, 14 bbls. of water per day, pumping from the Aux Vases (2848'-2879'), Cypress (2592'-2658')

Electric Log filed.

Driller's Log filed.

Imaged Log viewing help: New users please read this.

GET FILE

Induction Electric Log

GET FILE

Scanned Documents

GET FILE

Handwritten Scout Ticket

Permit Date: 9/26/1941 **Permit #:** **Reference #:** 13609

COMPANY Superior Oil Company

FARM Fitton, E.M.

NO. 32

DATE DRILLED November 4, 1941

COUNTY NO. 00566

AUTHORITY

ELEVATION 375' DF -

LOCATION 330'S line, 330'W line of SE NW

COUNTY White

API# 1219300566 00

23-4S-14W

ILLINOIS STATE GEOLOGICAL SURVEY

Total Depth: 2879

Perforated: 2746' - 2754', shots not reported

Fractured: 2746' - 2754', 1700# sand @2250 psi

Completed as a water input well, injecting 340 bbls. of water per day at 0 psi into the Aux Vases (2850'-2872'), Bethel (2746'-2754').

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Cased Hole Log

[GET FILE](#)

Scanned Documents

Permit Date: 12/19/1966 **Permit #:** 5622 **Reference #:** 13609

COMPANY Superior Oil Company

FARM Fitton, E.M.

NO. 32

DATE DRILLED February 10, 1967

COUNTY NO. 00566

AUTHORITY

ELEVATION 375' DF -

LOCATION 330'S line, 330'W line of SE NW

COUNTY White

API# 1219300566 01

23-4S-14W

ILLINOIS STATE GEOLOGICAL SURVEY

Page 3

Total Depth: 2877

Plugged Back Total Depth: 2622

Date Drilling Began: 6/8/1978

Tubing 2 - 2480' , Model "C" 2168', Model "C" 2096'

Perforated: 2130' - 2145', 30 shots

2200' - 2208', 16 shots

2591' - 2605', 28 shots

Acidized: 2130' - 2145', 1000 gallons 15% NE

2591' - 2605', 1000 gallons 15% HCl & 1000 gallons 15% NE

Completed as a water input well, injecting 403 bbls. of water per day at 1420 psi into the Cypress (2591'-2605'), Tar Springs Upper (2200'-2208'), Waltersburg (2130'-2145').

PFC Gamma Ray Neutron filed.

Gamma Ray Neutron Log filed.

[Imaged Log viewing help: New users please read this.](#)

[GET FILE](#)

Cased Hole Log

[GET FILE](#)

Scanned Documents

[GET FILE](#)

Scanned Drilling Time Log

Permit Date: 6/21/1978	Permit #: 5869	Reference #: 13609
-------------------------------	-----------------------	---------------------------

COMPANY Superior Oil Company

FARM Fitton, E.M.

NO. 32

DATE DRILLED June 16, 1978

COUNTY NO. 00566

AUTHORITY

ELEVATION 375' DF -

LOCATION 330'S line, 330'W line of SE NW

COUNTY White

API# 1219300566 02

23-4S-14W

ILLINOIS STATE GEOLOGICAL SURVEY

Total Depth: 0

[Imaged Log viewing help: New users please read this.](#)[GET FILE](#)

Scanned Documents

Permit Date:	10/13/1987	Permit #:	40982	Reference #:	13609
COMPANY	Mobil Explor. & Prod.				
FARM	Fitton, E.M.			NO.	32
DATE DRILLED				COUNTY NO.	00566
AUTHORITY					
ELEVATION	375' DF -				
LOCATION	330'S line, 330'W line of SE NW				
COUNTY	White	API#	1219300566 03		23-4S-14W